




A3500/...

Erodierkupfer, rechteckiger Querschnitt
 EDM-copper, rectangular square cross section
 Cuivre pour érosion, à section rectangulaire

Mat.: 2.0060





b	a	Tol.	l	Nr./No.
10	2	js 14	500	A3500/10x 2x500
	3			3x500
	4			4x500
15	2			A3500/15x 2x500
	3			3x500
	4			4x500
	5			5x500
	6			6x500
	8			8x500
20	2			A3500/20x 2x500
	3			3x500
	4			4x500
	5			5x500
	8			8x500
	10			10x500
30	3			A3500/30x 3x500
	4			4x500
	5			5x500
	6			6x500
	8			8x500
	10			10x500
	15			15x500
	20			20x500
40	3			A3500/40x 3x500
	4			4x500
	5			5x500
	6			6x500
	8			8x500
	10			10x500
	15			15x500
	20			20x500
50	2			A3500/50x 2x500
	3			3x500
	4			4x500
	5			5x500
	6			6x500
	8			8x500
	10			10x500
	15			15x500
	20			20x500
	25			25x500
60	4	js 15	500	A3500/60x 4x500
	5			5x500
	6			6x500
	8			8x500
	10			10x500
	15			15x500
	20			20x500

b	a	Tol.	l	Nr./No.		
60	30	js 15	500	A3500/60x30x500		
	40			40x500		
	80			5	A3500/80x 5x500	
80	6			6x500		
	8			8x500		
	10			10x500		
	15			15x500		
	20			20x500		
	25			25x500		
	30			30x500		
100	5		500	A3500/100x 5x500		
	6			6x500		
	8			8x500		
	10	250	10x250			
	15	500	10x500			
	15	250	15x250			
	15	500	15x500			
	20	250	20x250			
	20	500	20x500			
	25	250	25x250			
	25	500	25x500			
	30	250	30x250			
	30	500	30x500			
	40	250	40x250			
	40	500	40x500			
120	50		200	50x200		
	50			400	50x400	
	10			250	A3500/120x10x250	
	15			500	10x500	
	15			250	15x250	
	15			500	15x500	
	20			250	20x250	
	20			500	20x500	
	30			250	30x250	
	30			500	30x500	
40	250	40x250				
40	400	40x400				
160	10			250	A3500/160x10x250	
	15			500	10x500	
	15			250	15x250	
	15			500	15x500	
	20			250	20x250	
	20			500	20x500	
	30			250	30x250	
200	10			250	A3500/200x10x250	
	15			500	10x500	
	25			250	25x250	
	25			500	25x500	

A3501/...

Erodierkupfer, quadratischer Querschnitt
 EDM-copper, square cross section
 Cuivre pour érosion, à section carrée

Mat.: 2.0060





a	Tol.	l	Nr./No.
5	h 12	500	A3501/ 5x 5x500
6		500	6x 6x500
8		500	8x 8x500
10		500	10x10x500
12		500	12x12x500
15		500	15x15x500
20		500	20x20x500
25		500	25x25x500
30		500	30x30x500
40		250	A3501/ 40x40x250
		500	40x500
45	250	A3501/ 45x45x250	
		500	45x500
50	250	A3501/ 50x50x250	
		500	50x500
60	250	A3501/ 60x60x250	
		500	60x500

a	Tol.	l	Nr./No.
80	± 2	125	A3501/ 80x 80x125
		250	80x250
		500	80x500
90		125	A3501/ 90x 90x125
		250	90x250
		400	90x400
100		125	A3501/100x100x125
		200	100x200
		315	100x315
120	± 2,5	100	A3501/120x120x100
		250	120x250

A3502/...

Erodierkupper, runder Querschnitt
 EDM-copper, round cross section
 Cuivre pour érosion, à section ronde

Mat.: 2.0060




d	Tol.	l	Nr./No.
4	h 11	500	A3502/ 4x500
5			A3502/ 5x500
6			A3502/ 6x500
8			A3502/ 8x500
10			A3502/ 10x500
12			A3502/ 12x500
15			A3502/ 15x500
20			A3502/ 20x500
25			A3502/ 25x500
30			A3502/ 30x500
35			A3502/ 35x500
40			A3502/ 40x500
45			A3502/ 45x500

d	Tol.	l	Nr./No.		
50	h 11	250	A3502/ 50x250		
		500	500		
		55	250	A3502/ 55x250	
			500	500	
		60		250	A3502/ 60x250
				500	500
70		250	A3502/ 70x250		
		500	500		
80		250	A3502/ 80x250		
		500	500		
		500	500		
90	± 2	200	A3502/ 90x200		
		400	400		

d	Tol.	l	Nr./No.		
100	± 2	100	A3502/ 100x100		
		200	200		
		315	315		
		120		32	A3502/ 120x 32
				125	125
				250	250
150		32	A3502/ 150x 32		
		100	100		
		200	200		
		180	± 3	25	A3502/ 180x 25
32	32				
200				32	A3502/ 200x 32

A3503 / ...

Erodierkupfer, Rohrquerschnitt
 EDM-copper tube
 Cuivre pour érosion, à section creuse
 Mat.: 2.0060






d ₁	d ₂	l	Nr./No.
2,5	0,5	200	A3503/2,5/0,5x200
2,8	0,8		2,8/0,8x200
3	1		3 /1 x200
3,5	1,5		3,5/1,5x200
4	2		4 /2 x200
4,5	2,5		4,5/2,5x200
5	3		5 /3 x200
5,5	3,5		5,5/3,5x200
6	4		6 /4 x200
6,5	4,5		6,5/4,5x200
7	5		7 /5 x200
7,5	5,5		7,5/5,5x200
8	6		8 /6 x200


d ₁	d ₂	l	Nr./No.
8,5	6,5	200	A3503/ 8,5/ 6,5x200
9	7		9 / 7 x200
9,5	7,5		9,5/ 7,5x200
10	8		10 / 8 x200
10,5	8,5		10,5/ 8,5x200
11	9		11 / 9 x200
11,5	9,5		11,5/ 9,5x200
12	10		12 /10 x200
14	12		14 /12 x200
16	14		16 /14 x200
18	16		18 /16 x200
20	18	20 /18 x200	

A3504 / ...

Startloch-Elektrode, Rohrquerschnitt
 Start hole electrode, tube type
 Cuivre électrolytique, à section creuse
 Mat.: 2.0060



	d ₁	d ₂	l	Nr./No.
10	0,5	0,2	315	A3504/0,5/0,2x315
	0,8	0,3		0,8/0,3x315
	1			1 /0,3x315
	1,5			1,5/0,3x315

	d ₁	d ₂	l	Nr./No.
10	2	0,3	315	A3504/2 /0,3x315
	2,5			2,5/0,3x315
	3			3 /0,3x315